

## Planar PT2245PW

22" Touch Screen Point of Sale Monitor

Image

unavailable

The 22", Full HD Planar® PT2245PW multi-point touch LCD monitor features an ultra-thin profile and a sleek, edge-to-edge glass surface for image-conscious retail, hospitality, or healthcare organizations. It offers 10-point simultaneous touch for use as a kiosk or point-of-sale system and is available with HDMI®, DP, and VGA inputs. It features a full range desk stand that tilts from 0 to 90° and features built-in 100mm VESA for easy mounting.

| SPECIFICATION                   | DETAIL   |
|---------------------------------|--|
| Product Name                    | PT2245PW   |
| Planar Part Number              | 997-7416-01  |
| Viewable Size                   | 21.5" diagonal (18.77" horizontal x 10.56" vertical) |
| Touchscreen Type                | Projected Capacitive                                 |
| Number of Touch<br>Points       | 10   |
| Touchscreen Interface           | USB  |
| Contrast Ratio (typ)            | 1000:1   |
| Viewing Angle (typ)             | 178° H,V   |
| Response Time (typ)             | 14 ms  |
| Brightness<br>(w/touchscreen)   | 212 cd/m <sup>2</sup>                                |
| Brightness (w/o<br>touchscreen) | 250 cd/m <sup>2</sup>                                |

| Display Type                  | Edge-Lit LED LCD  |
|-------------------------------|---|
| Display Resolution            | 1920 x 1080   |
| Aspect Ratio                  | 16:9  |
| Tilt Range                    | -5° to 90°  |
| Palette                       | 16.7 million colors   |
| Pixel Pitch                   | 0.24795   |
| Refresh Rate                  | 56 to 75 Hz   |
| Panel Depth                   | 1.8" (46.0 mm)  |
| Dimensions (W x H x<br>D)     | 20.4" x 13.8" x 8.6" (517.4 mm x 351.7 mm x 219.0 mm)   |
| Dimensions without<br>Stand   | 20.4" x 12.3" x 1.8" (517.4 mm x 313.3 mm x 46.0 mm)  |
| Display Weight                | 17.2 lb (7.8 kg)  |
| Display Weight (w/o<br>stand) | 11.0 lb (5.0 kg)  |
| Shipping weight               | 22.1 lb (10 kg)   |
| Video Inputs                  | HDMI®, DisplayPort, VGA   |
| Audio Output                  | 2 x 3W  |
| Compatibility                 | Windows <sup>®</sup> 11, 10, 8, 7, Vista, XP, 2000, ME, 98, NT 4.0, CE, XP<br>Embedded, Linux, HID Compliant - no drivers needed for basic<br>touchscreen operation |
| External Connections          | HDMI 19-pin, DisplayPort 20-pin, VGA 15-pin, Type B USB socket, 3.5 mm audio in, DC power in  |
| Power Supply                  | External (DC power)   |
| Power Requirements            | 100-240V AC, 50/60Hz  |
| Power Consumption<br>(max)    | 27W (1.5W standby, 0.3W off)  |
| Operating<br>Temperature      | 0 to 40°C   |
| Mount                         | Built-in 100mm VESA, back   |
| Recommended Usage             | Up to 16 hours per day  |
| Service and Support           | 3-Year Customer First <sup>™</sup> Warranty featuring FREE Advance Replacement  |

|                    | (US only). Please see the warranty document for more details and for replacement procedures outside the US.   |
|--------------------|---|
| Options / Features | Multi-language On screen display (OSD), Kensington® Security Slot   |
| Product Approvals  | UL/c-UL, CE, FCC-Class B, RoHS  |
| CI-Black-PN        | 997-7416-01   |
| In the Box         | PT2245PW 22" Wide Touchscreen Edge-lit LED LCD Monitor, DC Power<br>Supply, Power Cord, VGA Cable, Audio cable, USB Cable (A to B), HDMI<br>Cable, User's Guide, Quick Start Guide, Cable Cover and Screw |
| UPC                | 8 10689 00984 9   |

For more information, please visit www.planar.com

Specifications are subject to change without notice.

Specification Report Date: 5/21/2024

© Copyright 2024 Planar Systems, Inc. All rights reserved